

Documentation BbnOrganiser 1.9

Introduction

BbnOrganiser is a program for processing a bridge bidding system. Its main features are:

- Edit the bidding calls and their meanings.
- Store the bidding system in a file obeying the Bridge Bidding Notation (BBN).
- Import BBN files in the current file.
- Generate an ASCII text file by exporting the bidding system.
- Compute probabilities of hand distributions.

Bridge Bidding Notation

An edited bidding system is saved in a file with default extension *bbn*. The letters *bbn* are the abbreviation of : Bridge Bidding Notation. The layout of this notation is based on XML. The precise definition of BBN is defined in an XML Schema called [bbn.xsd](#) .

A bidding system consists of the following types of Objects: Configuration, Macro, Chapter, Header, Text, Footer, Call, Description, Meaning, Condition. The 3 top level structures of a BBN file, reflecting a bidding system, are:

- Configuration
- Macros
- Chapters

The Configuration contains general settings for the whole bidding system.

The Macros structure is optional and contains one or more Macros. Each Macro consists of a name and one or more Meanings. A Meaning specifies (part of) the meaning of a Call. The Chapters structure is optional and contains one or more Chapters. A Chapter is a complex structure. It contains either sub-Chapters, also named child Chapters, or it contains Calls. So, only at the lowest level a Chapter can have Calls. Each Call has a Description and one or more Meanings.

A Meaning consists of one or more Conditions. There are many Conditions defined, such as High Card Points, Distribution, Controls, etc. Some (combinations of) Conditions may become complex or difficult to read. Macros are then handsome to replace such Conditions.

A Call can be followed by one or more Calls of the next bidder. Such subsequent Calls are named child Calls.

User Interface

The user interface consists of the screen, the menu bar, popup menus, and dialog windows.

Screen

The screen consists of 3 horizontal sections, related to the above mentioned top level structures of a BBN file.

The information about these structures is shown in rectangles, named cells. You can select a cell by pointing to it with the mouse and clicking the left mouse button. A selected cell will get a grey background. Selecting a cell is important since many operations happen with reference to the Object corresponding with the selected cell. In general, a dialog

window pops up when you double click a cell. The contents of the dialog window depends on the Object of the selected cell.

Pressing the shift key or the ctrl key when selecting a cell changes the scope of the selection. If you press the ctrl key, then the selected Object is expanded to a higher level as follows:

Object	Expanded selection, ctrl key pressed
Call	Call + Description + Meanings
Footer	Chapter
Text	Chapter
Description	Call + Description + Meanings
Condition	Meaning

If you press the shift key, then all the child Objects are included in the selection as follows:

Object	Expanded selection, shift key pressed
Macro	Macro + Meanings
Chapter	Chapter + expanded Calls + child Chapters
Call	Call + Description + Meanings + child Calls

Configuration

This section consists of a single row at the top of the screen. It shows the filename of the file where the bidding system is stored. If the bidding system has not been stored yet then the text <<no name>> is shown. A marker (*) behind the filename indicates a change in the bidding system, e.g. due to edit operations.

Macros

The section of the Macros is optional. The section is invisible when no Macros have been defined. Otherwise, the section is subdivided in 2 vertical sections. The left section contains the names of Macros; the right section contains one or more Meanings for each Macro. The name of a Macro is used for identification, that can be used by the *invoke* Condition. When applying this Condition with the Macro's name, it means that at that place the Macro's Meaning(s) must be substituted.

Chapters

The section of the Chapters is optional, although it will be present most times. The section is invisible when no Chapters have been defined. The hierarchy of Chapters results in an equivalent hierarchy of sections.

Each Chapter contains the following optional elements:

- Header
- Text
- Chapters or Calls
- Footer

Each of the above elements results in a sub-section of the Chapter section.

The top row of a Chapter section shows an automatically allocated Chapter number followed by the text of the Header. Before the Chapter number, a '+' indicates that the

Chapter will be fully shown. A '-' indicator results in showing only the top row of the Chapter section.

If a Text element is available, then the first line of the Text is shown in the next row. Only a single line is shown to save screen.

If a Footer element is available, then the text of the Footer is shown in a row after all the child Chapters or Calls.

The sub-section containing Calls is subdivided in 3 vertical sections. The left section contains the actual Calls; the middle section gives a Description of a Call; and the right section specifies the Meanings of a Call.

Calls

The Calls are shown in a grid of columns and rows. The possible Calls of a bidder are shown below each other in the same column. A Call can be followed by one or more Calls of the next bidder. Such subsequent Calls are named 'child' Calls. The first child Call is shown in the next column, and in the next row below its parent Call.

Sequences of Calls can become very large so that many columns are needed. For improving readability, a summary of Calls can be given. Summarised Calls consume only 2 columns for an uncontested auction, and 4 columns for a contested auction.

Description

The Description of a Call is shown in the same row as that Call. It indicates whether a Call is conventional, forcing, etc.

Meaning

A Call can have several Meanings. The first Meaning is shown in the same row as the Call; each next Meaning is shown in the next row. A Meaning consists of one or more Conditions. There are many Conditions defined, such as High Card Points, Distribution, Control, etc. Some (combinations of) Conditions may become very complex. Macro definitions are then handsome to replace such Conditions.

If there are at least 2 Meanings for a Call, then these Meanings have a logical OR relationship. So, the Call is such that Meaning-1 is true OR Meaning-2 is true. (In exceptional cases, even both might be true.)

Condition

The following Conditions have been defined.

Condition type	Description
vulnerable	Vulnerability
hcp	High Card Points
distribution	Card distribution
set	Number and suit of cards
tricks	Number of tricks
losers	Number of losers
covercards	Number of covercards
aces	Number of aces
kings	Number of kings
keycards	Number of keycards
controlcounts	Number of controlcounts
stopper	Stopper in a suit
control	Control in a suit
trump	Trump fixation
invoke	Substitute a Macro definition
general	Textual description of a Condition

All above Conditions, except for *general*, can be interpreted programmatically. The Condition *general* has been added to enable a human understandable condition. Optionally, it can just be used for a remark.

The Conditions can be entered in any order. However, when storing the bidding system to a BBN file, the types of the Conditions will be sorted in the order given by the above table.

Two artificial Conditions have been defined to ease the use of the bidding system:

brackets	Changes the AND/OR logic of the Conditions inside the brackets
goto	Goto a Chapter for further child Calls

The following rule holds for the interpretation of Conditions :
Conditions within a Meaning have a logical AND relationship.

So, a Meaning is true if all Conditions are true. Conditions with an OR relationship can be realised at the expense of additional Meanings. The brackets Condition has been introduced to prevent copying a whole Meaning except for a certain Condition. The brackets can be applied recursively.

menu bar

The menu items of the menu bar have the following meaning:

File	Main operations.
New	Begin with a new bidding system.
Open	Load a bidding system from a BBN file.
Save	Save the bidding system to the current BBN file.
SaveAs	Save the bidding system to another BBN file.
Recent	Open one of the most recent BBN files.
Import	Include a BBN file in the bidding system. The Chapters are added just after the current Chapter. The Macros are appended to the current Macros.

Export	Generate a text file from the bidding system.
Print	Print the screen representation of the bidding system.
Exit	Stop the program.
Edit	Edit operations.
Undo	Undo the last edit operation. The latest 10 operations can be undone.
Redo	Redo an undone edit operation.
Cut	Put the current Object to the clipboard, and remove that Object.
Copy	Put the current Object to the clipboard.
Replace	Replace the current Object with the Object in the clipboard. This operation is only possible when the 2 involved Objects are compatible.
Paste Before	Paste the Object in the clipboard before the current Object.
Paste After	Paste the Object in the clipboard after the current Object.
Paste Child	Paste the Object in the clipboard as a child of the current Object. This operation is only possible when the involved Objects are Chapters or Calls.
Show	Show the current Chapter.
Hide	Hide the current Chapter.
Find	Find a text in the document.
FindNext	Find a next instance of the text.
Insert	Insert an Object, that is placed relative to the current Object, or relative inside its section.
Macro	Insert a new Macro.
Chapter	Insert a new Chapter.
Call	Insert a new Call.
Meaning	Insert a new Meaning.
Condition	Insert a new Condition of the selected type.
Tools	Tools menu.
Probability	Compute probabilities of hand distributions.
Extra	Miscellaneous operations.
About	Program information.
Settings	Edit program settings.
Register	Enter Registration information.
UserInfo	Show information about a registered user.

popup menus


Popup menus appear when pressing the right mouse button, for the following selected Objects: Macro, Chapter, Call, Meaning, Condition. The possible actions in a popup menu depend on the type of the current Object. The actions are similar to the actions in the menu bar.

Menu windows

The following windows activated from the menu need further explanation.

Find

This window pops up when selecting the *Edit / Find* menu item.



- After inserting the text to find you can press the Enter key one extra time to execute the find function.
- The cell with the found text becomes the current cell. If the current cell already contains the text, then the current cell remains unchanged.
- You can press F3 to find the next instance of the text.
- The option *Regular expressions* can be used to find text patterns. A summary of regular-expression constructs can be found at e.g. http://www.tistis.nl/bbn/regular_expression.htm .
- The most recent texts are saved to the user's directory, and loaded at the next program start.

Probability

The following tools window pops up when selecting the *Tools / Probability* menu item.

Probabilities

North

	?	Min	Max
♠	<input type="checkbox"/>	4	4
♥	<input type="checkbox"/>	6	6
♦	<input type="checkbox"/>	0	13
♣	<input type="checkbox"/>	0	13

West

	?	Min	Max
♠	<input type="checkbox"/>	0	13
♥	<input type="checkbox"/>	0	13
♦	<input type="checkbox"/>	0	13
♣	<input type="checkbox"/>	0	13

East

	?	Min	Max
♠	<input type="checkbox"/>	0	13
♥	<input type="checkbox"/>	0	13
♦	<input type="checkbox"/>	0	13
♣	<input type="checkbox"/>	0	13

South

	?	Min	Max
♠	<input checked="" type="checkbox"/>	4	13
♥	<input type="checkbox"/>	0	13
♦	<input type="checkbox"/>	0	13
♣	<input type="checkbox"/>	0	13

33.6582037 %

 0.0 %

At each side you can specify the minimum and maximum number of cards for each suit. It is important to indicate which (ranges of) cards are known and which cards are unknown. Mark the checkbox(es) below the “?” for indicating the unknown cards. The probability of the distribution of these unknown cards is computed relative to the known cards. (In fact, the conditional probability of the unknown cards is computed given the known cards.) To speed up computations, leave the Min/Max of irrelevant cards to 0 and 13. In the example above, North has 4 spades and 6 hearts; the probability of a fit in spades is only approximately one third. The upper text field shows this probability in percentages. The lower text field can be used as an additional memory location. For unregistered users, the West hand and East hand can not be edited.

Field	Description
Compute	Compute the probability.
Reset	Reset the Min/Max fields, and clear the computed probability.
Clear	Clear the memory probability.
+	Add the computed probability to the memory probability.
-	Subtract the computed probability from the memory probability.
Exit	Close the window (or use Escape key).


Dialog windows

Dialog windows popup when a cell has been double clicked. The type of window depends on the cell's Object. The dialog windows have several features in common:

- Each window has an OK button for accepting the made changes and a CANCEL button for denying the made changes.
- Pressing the Enter key has the same function as pressing the OK button (except for the Text Object).
- Pressing the Escape key has the same function as pressing the CANCEL button.
- Many options are preceded by a checkbox, that has to be checked before data can be entered. In the screendumps below some checkboxes have been checked to show the options clearly.

Configuration

This window pops up when double clicking the Configuration cell.



Field	Description
Nr columns uncontested	Number of columns before wrapping of summary Calls happens to the first column, for uncontested auction. The default value is 2.
Nr columns contested	Number of columns before wrapping of summary Calls happens to the first column, for contested auction. The default value is 4.


Chapter

This window pops up when double clicking the Chapter cell.

Field	Description
Header	Short description of the Chapter. This text is shown on the screen.
Text	Extensive description of the Chapter. Only the first line of this text is shown on the screen. The complete text is shown in an exported file.
Footer	Concluding description of the Chapter.
Chapter attributes	
Id	Identification of the Chapter. The Identification text is used for referring to this Chapter in Condition "Goto". If the Chapter has no Header value, then this text is shown as the Chapter's header.
Contested	Select contested ('yes') or uncontested ('no') auction. The number of columns before wrapping, as determined in the Configuration, is based on this choice. The default value is 'no'.
Nr columns	The number of columns before wrapping. This value overrules the value determined by the Contested field.
Open	Select if the Chapter is shown ('yes') or hidden ('no'). The default value is 'yes'.

Text

This window pops up when double clicking the Text cell.



Field	Description
Text area	Extensive description of the Chapter.

Call

This window pops up when double clicking the Call cell. The Call dialog has 3 main tabs, that will each be described below.

Call

Call attributes

Id

Who us ▾

Summary yes no

Bid attributes

Bid-Id

Show 2 ▾ X ▾

CallValue

BidLevelDenom

BidComparison

1 ♣	1 ♦	1 ♥	1 ♠	1 ♠
2 ♣	2 ♦	2 ♥	2 ♠	2 ♠
3 ♣	3 ♦	3 ♥	3 ♠	3 ♠
4 ♣	4 ♦	4 ♥	4 ♠	4 ♠
5 ♣	5 ♦	5 ♥	5 ♠	5 ♠
6 ♣	6 ♦	6 ♥	6 ♠	6 ♠
7 ♣	7 ♦	7 ♥	7 ♠	7 ♠

pass dbl rdb any void

OK

CANCEL

Field	Description
Call attributes	
Id	Identification of the Call. The Identification text is used for referring to this Call in Condition "Goto".
Who	Select who made the Call, either 'us' or 'them'. The default value is 'us'. Calls of 'them' will be shown between rectangular brackets (or user chosen delimiters).
Summary	Select that the Call is a summary of a bidding sequence. The default value is 'no'. Summary Calls will be shown in the same row, or at the next row after exceeding the selected number of columns.
Bid attributes	
Bid-Id	Identification of the Bid. The Identification text is used for referring to this Bid in Conditions "Set", "Stopper", "Control", "Trump".
Show	Select the acronym to be shown on the screen instead of the selected bids. The acronym consists of a number and a letter. This attribute is recommended when many bids have been selected, since in that case the fixed size cell would be exceeded.
Tab CallValue	
1♣ – 7♠	Select a bid. More than 1 bid can be selected.
pass	Select Pass.
dbl	Select Doublet.
rdb	Select Redoublet.
any	This satisfies any Call.
void	Enables an empty row, meant for layout purpose.
Tab BidLevelDenom	See below
Tab BidComparison	See below

CallValue BidLevelDenom BidComparison

Level

1 2 3 4 5 6 7






lowest jump1 jump2 jump3






Denom attributes


Id

Show


DenomValue Comparison


Field	Description
Tab BidLevelDenom	
Level	
1 - 7	The level of the call.
lowest	The lowest level based on the current situation.
jump1	Jump of 1 level.
jump2	Jump of 2 levels.
jump3	Jump of 3 levels.
Denom attributes	
Id	Identification of the Denomination. The Identification text is used for referring to this Denomination in Conditions "Set", "Stopper", "Control", "Trump".
Show	Select the name to be shown on the screen instead of the selected denominations.
Tab DenomValue	
	Select spades. Multiple denominations can be chosen.
	Select hearts.
	Select diamonds.
	Select clubs.
	Select no-trumps.
List of Ids	Select from the list an Id of a bid, or a denomination.
Tab Comparison	See below



Field	Description
Tab Comparison	
>=	Add a list entry: the intended denomination is greater than or equal to the denomination to be selected. The popup dialog 'Select denomination' has the same description as above, see Tab DenomValue. The only difference is that now only a single denomination can be chosen.
<=	Add a list entry : the intended denomination is less than or equal to the denomination to be selected.
>	Add a list entry : the intended denomination is greater than the denomination to be selected.
<	Add a list entry : the intended denomination is less than the denomination to be selected.
!=	Add a list entry : the intended denomination is unequal to the denomination to be selected
==	Add a list entry : the intended denomination is equal to the denomination to be selected.
Edit	Edit a list entry.
Delete	Delete a list entry.
List of entries	Select a list entry for editing or deleting



Field	Description
Tab BidComparison	See above 'Tab Comparison'. The only difference is that the comparisons refer now to Bids instead of denominations. The popup dialog 'Select bid' appears when clicking one of the 6 comparison operators, see below.



Field	Description
Tab BidValue	
1♣ – 7♠	Select a bid. Only 1 bid can be selected.

Field	Description
Tab LevelDenom	See above 'Tab BidLevelDenom'. The only difference is that only a single denomination can be selected.

Description

This window pops up when double clicking the Description cell.

Field	Description
Text	Textual description.
Forcing	Select the type of forcing. The default value is 'not'.
Category	Select a predefined category. The default value is 'natural'.

Vulnerable

This window pops up when double clicking a cell with a Vulnerable Condition.

Field	Description
Us	Select vulnerability of us. The default value is 'no'.
Them	Select vulnerability of them. The default value is 'no'.

Hcp


This window pops up when double clicking a cell with a Hcp Condition.

Field	Description
Number of hcp	
Num	Enter exact number of hcp.
Min	Enter minimum number of hcp.
Max	Enter maximum number of hcp.
Ownership	
Owner	Select the owner of the Hcp. The default value is 'me'.
Owns	Select the type of ownership. The default value is 'owns'.

N.B. The number of hcp is allowed to be a decimal value.

Distribution

This window pops up when double clicking a cell with a Distribution Condition.



Field	Description
Ownership	See Hcp
Tab SHDC	
	Enter number of spades.
	Enter number of hearts.
	Enter number of diamonds.
	Enter number of clubs.
Tab 1234	
<<<<>>>>	Enter number of cards of longest suit.
<<>>>	Enter number of cards of one but longest suit.
<<>>	Enter number of cards of one but shortest suit.
<>	Enter number of cards of shortest suit.

The number of cards denoted by 'x' means an arbitrary number of cards.

Set

This window pops up when double clicking a cell with a Set Condition. The dialog window has 2 main tabs.

The tab CardsSelect is meant to specify the number of cards of a certain suit. Optionally, restrictions can be added concerning the hcps of these cards or the ranks of these cards. The tab CardsNumber is meant to select specific cards. Optionally, the number of the selected cards can be specified.

Set

Ownership

Owner me ▾

Owns owns misses asks

CardsNumber

CardsSelect

Number of cards

Num Min Max

Suit attributes

Id

Show

SuitValue

Comparison

			
---	---	---	---

Number of hcp

Hcp

Num Min Max

Number of ranks

Subset

Num Min Max


Ranks

A	K	Q	J	T	9	8
7	6	5	4	3	2	

OK

CANCEL

Field	Description
Ownership	See Hcp
Number of cards	
Num	Enter exact number of cards.
Min	Enter minimum number of cards.
Max	Enter maximum number of cards.
Tab CardsNumber	
Suit attributes	
Id	Identification of the Suit. The Identification text is used for referring to this Suit in Conditions "Set", "Stopper", "Control", "Trump".
Show	Select the name to be shown on the screen instead of the selected suits.
Tab SuitValue	
♠	Select spades. Multiple suits can be chosen.
♥	Select hearts.
♦	Select diamonds.
♣	Select clubs.
List of Ids	Select from the list an Id of a bid, a denomination, or a suit.
Tab Comparison	See below
Hcp	
Num	Enter exact number of hcp within selected cards.
Min	Enter minimum number of hcp within selected cards.
Max	Enter maximum number of hcp within selected cards.
Subset	
Num	Enter exact number of ranks within selected ranks.
Min	Enter minimum number of ranks within selected ranks.
Max	Enter maximum number of ranks within selected ranks.
A - 2	Select one or more ranks.
Tab CardsSelect	See below



Field	Description
Tab Comparison	
>=	Add a list entry: the intended suit is greater than or equal to the suit to be selected. The popup dialog 'Select suit' has the same description as above, see Tab SuitValue. The only difference is that now only a single suit can be chosen.
<=	Add a list entry : the intended suit is less than or equal to the suit to be selected.
>	Add a list entry : the intended suit is greater than the suit to be selected.
<	Add a list entry : the intended suit is less than the suit to be selected.
!=	Add a list entry : the intended suit is unequal to the suit to be selected
==	Add a list entry : the intended suit is equal to the suit to be selected.
Edit	Edit a list entry.
Delete	Delete a list entry.
List of entries	Select a list entry for editing or deleting

CardsNumber

CardsSelect

Suit attributes

Id

Show

SuitValue

Comparison

♣

♦

♥

♠

Ranks

A

K

Q

J

T

9

8

7

6

5

4

3

2

Number

Number of ranks

Num Min Max

Field	Description
Tab CardsSelect	
Suit attributes	See Tab CardsNumber
Tab SuitValue	See Tab CardsNumber
Tab Comparison	See Tab CardsNumber
Ranks	
A - 2	Select one or more ranks.
Number of ranks	
Num	Enter exact number of ranks within selected ranks.
Min	Enter minimum number of ranks within selected ranks.
Max	Enter maximum number of ranks within selected ranks.

Tricks

See Hcp.

N.B. The number of tricks is allowed to be a decimal value.

Losers

See Hcp.

N.B. The number of losers is allowed to be a decimal value.

Covercards

See Hcp.

N.B. The number of covercards is allowed to be a decimal value.

Aces

This window pops up when double clicking a cell with an Aces Condition.

The image shows a dialog box titled "Aces". It contains the following elements:

- A checkbox labeled "Total" followed by a text input field.
- A section titled "Number of aces" containing two radio buttons (the second is selected) and three text input fields labeled "Num", "Min", and "Max".
- A section titled "Ownership" containing a checked checkbox labeled "Owner" followed by a dropdown menu showing "me", and a checked checkbox labeled "Owns" followed by three radio buttons labeled "owns", "misses", and "asks".
- At the bottom, there are two buttons: "OK" and "CANCEL".

Field	Description
Total	Enter total number of aces. The default value is 4. To be used when king(s) count as an ace.
Number of aces	
Num	Enter exact number of aces.
Min	Enter minimum number of aces.
Max	Enter maximum number of aces.
Ownership	
Owner	Select the owner of the aces. The default value is 'me'.
Owns	Select the type of ownership. The default value is 'owns'.

N.B. The number of aces is an integer value.

Kings

See Aces.

N.B. The number of kings is an integer value.

Keycards

See Hcp.

N.B. The number of keycards is an integer value.

Controlcounts


See Hcp.

An ace counts as 2 controls, and a king counts as 1 control.

N.B. The number of controlcounts is an integer value.

Stopper


This window pops up when double clicking a cell with a Stopper Condition.







Field	Description
♠	Select a stopper in spades. Only a single suit can be chosen.
♥	Select a stopper in hearts.
♦	Select a stopper in diamonds.
♣	Select a stopper in clubs.
List of Ids	Select a stopper from the list, being an Id of a bid, a denomination, or a suit.
Ownership	
Owner	Select the owner of the stopper. The default value is 'me'.
Owns	Select the type of ownership. The default value is 'owns'.

Control


This window pops up when double clicking a cell with a Control Condition.



Field	Description
Type	Select the type of the control. The default value is 'mixed'.
	Select a control in spades. Only a single suit can be chosen.
	Select a control in hearts.
	Select a control in diamonds.
	Select a control in clubs.
List of Ids	Select a control from the list, being an Id of a bid, a denomination, or a suit.
Ownership	
Owner	Select the owner of the control. The default value is 'me'.
Owns	Select the type of ownership. The default value is 'owns'.

Trump


This window pops up when double clicking a cell with a Trump Condition.



Field	Description
♠	Select spades as trump. Only a single suit can be chosen.
♥	Select hearts as trump
♦	Select diamonds as trump
♣	Select clubs as trump
List of Ids	Select the trump from the list, being an Id of a bid, a denomination, or a suit.

Brackets


This window pops up when double clicking a cell with a Brackets Condition.



Field	Description
Relation	Select an 'AND' or an 'OR' relationship between Conditions. The default value is 'AND'.
Positive	Select whether the Conditions between the brackets are satisfied 'yes' or denied 'no'. The default value is 'yes'.

Invoke


This window pops up when double clicking a cell with an Invoke Condition.



Field	Description
List of Ids	Select the Macro from the list, that must be invoked.

Goto

This window pops up when double clicking a cell with a Goto Condition.



Field	Description
List of Ids	Select the Call or Chapter from the list, where the bidding continues.

General

This window pops up when double clicking a cell with a General Condition.



Field	Description
Text field	Enter a textual description for the Condition.

Localisation

The texts of the program's user interface are in English. The exported, generated output can be localised to your favorite language. This can be realised by selecting a suitable

Properties file. Default, the BbnOrganiser has a Properties file for the English language. The page [download](#) contains Properties files for other languages. A Properties file is an ASCII file containing property lines. Each line consists of a keyword and a value string.